

測試報告 號碼(No.): CE/2019/70877 日期(Date): 2019/07/12 Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

behalf of the applicant as):						
BASIC INFORMATION						
Type of Product	SMD B TYPE					
Supplier Company Name	EVERLIGHT					
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN					
Tel / Fax / Email	TEL:886-2685-6688					
	FAX:886-2685-6699					
	E-MAIL: lindawang@everlight.com					
Contact Person	LI LING WANG					
EVERLIGHT REPORT NO	EVERLIGHT-SMD B TYPE SERIES					
	Sampling Product :19-337C/RSBHGHC-A08/2T-SGS-12/07/2019					
PRODUCT INFORMATION						
Product/component Sample description	scription TOUCH APNEL					
Quantity (numbers or weight)	0.002 g					
EVERLIGHT P/N	SMD B TYPE SERIES					
	Sampling Product : 19-337C/RSBHGHC-A08/2T					
Product Lot No	Y190408G0802BTTZ					
Country of Origin	TAIWAN					
TEST INFORMATION						
Sample preparation	CUTTING					
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582					
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg					
Name of Analyzer	Cd, Pb, Hg, Cr(VI): Rita Chen, PBBs/PBDEs: Yaling Tu, Halogen: Rita Chen					
送樣廠商(Sample Submitted By) :	億光電子工業股份有限公司(EVERLIGHT ELECTRONICS CO., LTD.)					
收件日期(Sample Receiving Date) :	2019/07/03					
測試期間(Testing Period) :	2019/07/03 to 2019/07/12					

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages).

Troy Chang / Manager - Vec Signed for and behalf of SGS TAIWAN LTD. AIW Chemical Laboratory - Taipei

:

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-e-document, attrans-e-document, attr

頁數(Page): 1 of 17



頁數(Page): 2 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

結論(Conclusion)

- (1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚,DBP,BBP,DEHP,DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求.(Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品,18項多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類 「列於德國產品安全 法之其他產品」之限值要求. (Based upon the performed tests on the submitted sample(s), the test results of PAHs (18 items) comply with the limits of PAHs requirement (Category 3)「Other products under ProdSG」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

测試結果(Test Results)

測試部位(PART NAME)No.1 : SMD B TYPE

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.	1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4:2013+ AMD1:2017,以 感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-AES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI) (◆)	mg/kg	参考IEC 62321-7-2 (2017),以UV-VIS檢 測;參考IEC 62321-5 (2013),以ICP-AES 檢測. / With reference to IEC 62321-7- 2 (2017) and performed by UV-VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-AES.	8	n.d.	1000



頁數(Page): 3 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n.d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣相層析	5	n. d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	儀/質譜儀檢測. / With reference to	5	n. d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321-6 (2015) and performed by	-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	GC/MS.	5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.	_
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.	_
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.	_



頁數(Page): 4 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.	1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	参考IEC 62321-8 (2017),以氣相層析 儀/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n. d.	-
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二正辛酯 / DNOP(Di-n-octyl phthalate)(CAS No.: 117-84-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二戊酯 / DNPP(Di-n-pentyl phthalate)(CAS No.: 131-18-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二正己酯 / DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg		50	n. d.	_
鄰苯二甲酸二(2-甲氧基乙基)酯 / DMEP (Bis (2-methoxyethyl) phthalate)(CAS No.: 117-82-8)	mg/kg		50	n. d.	_



頁數(Page):5 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
多環芳香烴 / Polycyclic Aromatic Hydrocarbons (PAHs)					
苊 / Acenaphthene (CAS No.: 83-32-9)	mg/kg		0.2	n. d.	-
苊烯 / Acenaphthylene (CAS No.: 208-96-8)	mg/kg		0.2	n.d.	-
蔥 / Anthracene (CAS No.: 120-12-7)	mg/kg		0.2	n. d.	-
苯駢蔥 / Benzo[a]anthracene(CAS No.: 56- 55-3)	mg/kg		0.2	n. d.	_
苯駢(a)芘 / Benzo[a]pyrene (CAS No.: 50- 32-8)	mg/kg		0.2	n. d.	_
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg		0.2	n. d.	-
苯駢苝 / Benzo[g,h,i]perylene(CAS No.: 191-24-2)	mg/kg		0.2	n. d.	_
苯駢(k)螢蔥 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg	參考AfPS GS 2014:01 PAK,以氣相層析	0.2	n. d.	_
Chrysene (CAS No.: 218-01-9)	mg/kg	儀/質譜儀檢測. / With reference to	0.2	n.d.	-
ニ苯聠蔥 / Dibenzo[a,h]anthracene(CAS No.: 53-70-3)	mg/kg	AfPS GS 2014:01 PAK. Analysis was performed by GC/MS.	0.2	n. d.	_
苯駢苊 / Fluoranthene(CAS No.: 206-44-0)	mg/kg	-	0.2	n. d.	-
芴 / Fluorene (CAS No.: 86-73-7)	mg/kg		0.2	n.d.	-
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0.2	n. d.	_
荼 / Naphthalene (CAS No.: 91-20-3)	mg/kg		0.2	n.d.	-
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg		0.2	n. d.	-
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg		0.2	n. d.	-
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0.2	n. d.	-
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192- 97-2)	mg/kg		0.2	n. d.	_
多環芳香烴18項總和 / Sum of 18 PAHs	mg/kg		_	n. d.	Δ



頁數(Page): 6 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321 (2008),以氣相層析儀/ 質譜儀檢測. / With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n.d.	_
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	392	_
鹵素(氯)/ Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582 (2016),以離子層析 儀分析. / With reference to BS EN	50	137	_
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582 (2016). Analysis was performed by IC.	50	n. d.	_
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.	_
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C (2007),以液相層析 儀/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was	10	n. d.	_
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	performed by LC/MS.	10	n. d.	-
鈹 / Beryllium (Be)	mg/kg	參考US EPA 3052 (1996),以感應耦合 電漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n. d.	_



頁數(Page):7 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. (�):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。
The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.
若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。
If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層 材料中不得超過1 μ g/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/terms-and-conditions/terms-end-conditions/terms-



測試報告 號碼(No.): CE/2019/70877 日期(Date): 2019/07/12 Test Report

頁數(Page): 8 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

△ 徳國產品安全委員會(AfPS) GS PAHs 要求 / AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第2類(Ca	ategory 2)	第3類(Ca	ategory 3)
項目 (Parameter)	意圖放入嘴內的材料 或玩具會與皮膚有所 接觸(超過30秒). (Material indented to be put in the mouth or toys with intended skin	接觸逾30秒(長期 觸). (Materials under category foreseeable con longer than 30	not falling l with tact to skin for seconds (long-	可預見與皮膚接觸短於30秒(短 皮膚接觸),以及不屬於第1類或 類的材料. (Materials not fa under category 1 or 2 with foreseeable contact to skin less than 30 seconds (shor term skin contact).)	
	contact (longer than 30 s).)	列於2009/48/EC 之玩具 (Toy under 2009/48/EC)	列於徳國產品安全 法之其他產品 (Other products under ProdSG)	列於2009/48/EC 之玩具(Toy under 2009/48/EC)	列於德國產品安全 法之其他產品 (Other products under ProdSG)
Naphthalene	< 1	<	< 2	<	10
Acenaphthylene					
Acenaphthene					
Fluorene					
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Anthracene					
Fluoranthene					
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1, 2, 3-c, d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
18項PAH總濃度 (Sum of 18 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit):mg/kg




億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded) ■ 測試人員: 陳恩臻 / Technician: Rita Chen

■ 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 9 of 17




測試報告 號碼(No.): CE/2019/70877 日期(Date): 2019/07/12 **Test Report**

頁數(Page): 10 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE






頁數(Page): 11 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor : Troy Chang

【测試方法/Test method: IEC 62321-8】






頁數(Page): 12 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




頁數(Page): 13 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

鹵素分析流程圖 / Analytical flow chart - Halogen

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page): 14 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

- 測試人員: 涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page): 15 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang





測試報告 ^{號碼(No.)}: CE/2019/70877 日期(Date): 2019/07/12 **Test Report**


頁數(Page): 16 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang

元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES)






測試報告 ^{號碼(No.)}: CE/2019/70877 日期(Date): 2019/07/12 **Test Report**

頁數(Page): 17 of 17

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)



** 報告結尾 (End of Report) **